







## 3" Flexible Door Stop

### Color/Finish



### Packaging format

Per unit

Bag

Blister of 2  
units

Bag of 2 units

## DESCRIPTION

### Protects walls from swing of door.

The classic and time-tested door stop. This flexible door stop is the simplest and most aesthetic way to protect your walls and doors thanks to its rubber tip. Easy to install and available in a variety of stylish finishes to suit any design needs.

## ADVANTAGES AND BENEFITS

Easy to install. Prevent wall and door damages.

## AVAILABLE PRODUCTS

Product #	Color/Finish	Packaging format
217ABB	Antique Brass	Per unit
217ABVB	Antique Brass	Bag
217ACBVB	Antique Brushed Copper	Bag
217ANB	Antique Nickel	Per unit
217ANVB	Antique Nickel	Bag
217FBVB	Black	Bag
217BNB	Black Nickel	Per unit
217BNVB	Black Nickel	Bag
217BNV	Black Nickel	Bag of 2 units
217BB	Brass	Per unit
217BVB	Brass	Bag
217BR	Brass	Blister of 2 units
217BV	Brass	Bag of 2 units
217BZB	Bronze	Per unit
217DXB	Dull Zinc	Per unit
217NB	Nickel	Per unit
217NVB	Nickel	Bag
217NR	Nickel	Blister of 2 units
217ORBB	Oil-Rubbed Bronze	Per unit
217ORBVB	Oil-Rubbed Bronze	Bag
217WB	White	Per unit
217WVB	White	Bag
217WR	White	Blister of 2 units
217WV	White	Bag of 2 units
217XB	Zinc	Per unit
217XVB	Zinc	Bag
217XR	Zinc	Blister of 2 units
217XV	Zinc	Bag of 2 units

## TECHNICAL SPECIFICATIONS

Base Diameter	31/32 in
Tip Diameter	35/64 in
Screw/Nail	Wood Screw (Included)
Handing Position / Opening Side	Not Handed
Function	Door Stop
Usage	Hinge Door
Brand	Onward
Screw	Included
Length	3 in
Projection	3 in
Material	Metal
Collection	Door Hardware
Collection	Door Stops, Door Hardware

## INCLUDED PRODUCT(S)

Doorstop with #6 x 5/8" wood screws.

## APPLICATION

To protect walls from swing of door.

PRODUCT PHOTOS

