





## Low Profile Dome Door Stop

### Color/Finish



### Packaging format



## DESCRIPTION

### To protect walls from swing of doors.

A sleek, low-profile dome that is used to protect walls and doors from the swing of a door. Durable, unobtrusive, and low-profile design. Features a soft center, protecting doors and walls from damage.

## ADVANTAGES AND BENEFITS

To protect walls from swing of doors.

## AVAILABLE PRODUCTS

Product #	Color/Finish	Packaging format
218ABR	Antique Brass	Blister
218ANR	Antique Nickel	Blister
218ANV	Antique Nickel	Bag
218FBV	Black	Bag
218BR	Brass	Blister
218BV	Brass	Bag
218XR	Brushed Chrome	Blister
218XV	Brushed Chrome	Bag
218NBR	Brushed Nickel	Blister
218NBV	Brushed Nickel	Bag
218CR	Chrome	Blister
218CV	Chrome	Bag
218ORBR	Oil-Rubbed Bronze	Blister
218ORBV	Oil-Rubbed Bronze	Bag

## TECHNICAL SPECIFICATIONS

Height	15/16 in*
Width	1 25/32 in*
Material	Metal
Collection	Door Stops, Door Hardware
Screw/Nail	Included

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## INCLUDED PRODUCT(S)

- 1 3/4 in (44.45 mm) total width - 15/16 in (23.81 mm) total height (without pin) - Pin 1/2 in (12.70 mm) long x 5/16 in (7.94 mm) in diameter - Base height 3/32 in (2.38 mm) All low-profile domed door stops come with one #10 x 1 1/4 in (31.75 mm) flat head square socket wood screw, one lead anchor, and one plastic anchor.

## APPLICATION

Position so that door will stop against rubber bumper.

PRODUCT PHOTOS

