



Heavy Duty T-Hinge

Length

4 in	6 in	8 in	10 in	12 in
------	------	------	-------	-------

Safe Working Load

22 lb	47 lb	60 lb	70 lb	82 lb
-------	-------	-------	-------	-------

Screw/Nail

Included	Not Included
----------	--------------

Height

3 7/16 in	3 1/2 in	4 1/2 in	5 1/2 in	5 5/8 in
6 1/2 in	6 11/16 in			

Finish

Black	Galvanized	Rust-Resistant	Stainless Steel	White
				Zinc (2G)

Material

<p>Stainless Steel 304SS</p>	<p>Steel</p>
------------------------------	--------------

Packaging format

Per unit	Blister of 2 units	Bag of 2 units
----------	--------------------	----------------

DESCRIPTION

A sturdy and reliable hardware option. Ideal for use with heavy gates, sheds, or barn doors. Available in a variety of sizes and finishes to suit any design need.

ADVANTAGES AND BENEFITS

Many sizes and finishes available for all your gate needs.

AVAILABLE PRODUCTS

Product #	Length	Safe Working Load	Screw/Nail	Height	Finish	Material	Packaging format
925FBR	4 in	22 lb	Included	3 7/16 in	Black	Steel	Blister of 2 units
925FBV	4 in	22 lb	Included	3 7/16 in	Black	Steel	Bag of 2 units
925SSR	4 in	22 lb	Included	3 7/16 in	Stainless Steel	Stainless Steel 304SS	Blister of 2 units
925WR	4 in	22 lb	Included	3 7/16 in	White	Steel	Blister of 2 units
925XR	4 in	22 lb	Included	3 1/2 in	Zinc (2G)	Steel	Blister of 2 units
925SSBC	4 in	22 lb	Not Included	3 7/16 in	Stainless Steel	Stainless Steel 304SS	Per unit
925GABC	4 in	22 lb	Not Included	3 1/2 in	Galvanized	Steel	Per unit
925CBXB	4 in	22 lb	Not Included	3 1/2 in	Rust-Resistant	Steel	Per unit
925CXB	4 in	22 lb	Not Included	3 1/2 in	Zinc (2G)	Steel	Per unit
926FBR	6 in	47 lb	Included	4 1/2 in	Black	Steel	Blister of 2 units
926FBV	6 in	47 lb	Included	4 1/2 in	Black	Steel	Bag of 2 units
926SSR	6 in	47 lb	Included	4 1/2 in	Stainless Steel	Stainless Steel 304SS	Blister of 2 units
926GABC	6 in	47 lb	Not Included	4 1/2 in	Galvanized	Steel	Per unit
926CBXB	6 in	47 lb	Not Included	4 1/2 in	Rust-Resistant	Steel	Per unit
926SSBC	6 in	47 lb	Not Included	4 1/2 in	Stainless Steel	Stainless Steel 304SS	Per unit
926CXB	6 in	47 lb	Not Included	4 1/2 in	Zinc (2G)	Steel	Per unit
927FBR	8 in	60 lb	Included	5 5/8 in	Black	Steel	Blister of 2 units
927GABC	8 in	60 lb	Not Included	5 1/2 in	Galvanized	Steel	Per unit
927CBXB	8 in	60 lb	Not Included	5 1/2 in	Rust-Resistant	Steel	Per unit
927CXB	8 in	60 lb	Not Included	5 1/2 in	Zinc (2G)	Steel	Per unit
928GABC	10 in	70 lb	Not Included	6 1/2 in	Galvanized	Steel	Per unit
928CXB	10 in	70 lb	Not Included	6 1/2 in	Zinc (2G)	Steel	Per unit
929GABC	12 in	82 lb	Not Included	6 11/16 in	Galvanized	Steel	Per unit
929XB	12 in	82 lb	Not Included	6 11/16 in	Zinc (2G)	Steel	Per unit

TECHNICAL SPECIFICATIONS

Pin	Fixed Pin
Side	Left-Hand or Right-Hand Opening

APPLICATION

For gates, sheds, and barn doors.

PRODUCT PHOTOS

