



Ball Knobs - Maxwell Series

Latch

4-Way Latch (Removable Latch Plate)

Dummy

Color/Finish



Function

Dummy Entrance	Passage	Privacy	l
----------------	---------	---------	---

DESCRIPTION

- Galvanized all-steel interior mechanism
- Easy installation with included template
- Fits standard 2-1/8" (55 mm) cross bore 161 door prep (ANSI 115.2) 5 year limited warranty on finishes
- 25 year mechanical warranty

ADVANTAGES AND BENEFITS

Fits standard 2-1/8" (55 mm) cross bore 161 door prep. 20 min fire rating available upon request.

AVAILABLE PRODUCTS

Product #	Latch	Color/Finish	Function
4040TFB51	4-Way Latch (Removable Latch Plate)	Flat Black	Entrance
4040TFB10	4-Way Latch (Removable Latch Plate)	Flat Black	Passage
4040TFB42	4-Way Latch (Removable Latch Plate)	Flat Black	Privacy
4040TSN51	4-Way Latch (Removable Latch Plate)	Satin Nickel	Entrance
4040TSN10	4-Way Latch (Removable Latch Plate)	Satin Nickel	Passage
4040TSN42	4-Way Latch (Removable Latch Plate)	Satin Nickel	Privacy
4040TSS51	4-Way Latch (Removable Latch Plate)	Stainless Steel	Entrance
4040TSS42	4-Way Latch (Removable Latch Plate)	Stainless Steel	Privacy
4040TFB17	Dummy	Flat Black	Dummy
4040TSN17	Dummy	Satin Nickel	Dummy



TECHNICAL SPECIFICATIONS

Style	Ball Knobs
Keyed Alike	Compatible
Screw/Nail	Included
Diameter	2 9/16 in
Door Thickness	1 3/8 to 1 3/4 in
Handing Position / Opening Side	Reversible for Left or Right
Usage	Hinge Door
Grade	3
Brand	Onward
Screw	Included
Projection	2 1/2 in
Material	Steel
Backset	2 3/8 to 2 3/4 in
Standards and Certifications	ANSI A156.2-2003

INCLUDED PRODUCT(S)

Mounting hardware included.

IMPORTANT INFORMATION

5 year limited warranty on finishes. 25 year mechanical warranty.

APPLICATION

Easy installation Template included



PRODUCT PHOTOS

