



## Straight Levers - Newport Series

### Latch

4-Way Latch  
(Removable  
Latch Plate)

Dummy

### Color/Finish



Antique Nickel



Flat Black



Satin Chrome



Satin Nickel

### Function

Dummy

Entrance

Passage

Privacy

## DESCRIPTION

- Galvanized all-steel interior mechanism
- Easy installation with included template
- Fits standard 2-1/8" (55 mm) cross bore 161 door prep (ANSI 115.2)
- 5 year limited warranty on finishes
- 25 year mechanical warranty

## ADVANTAGES AND BENEFITS

20 min fire rating available upon request.

## AVAILABLE PRODUCTS

Product #	Latch	Color/Finish	Function
<b>4140TAN10</b>	4-Way Latch (Removable Latch Plate)	Antique Nickel	Passage
<b>4140TAN42</b>	4-Way Latch (Removable Latch Plate)	Antique Nickel	Privacy
<b>4140TFB51</b>	4-Way Latch (Removable Latch Plate)	Flat Black	Entrance
<b>4140TFB10</b>	4-Way Latch (Removable Latch Plate)	Flat Black	Passage
<b>4140TFB42</b>	4-Way Latch (Removable Latch Plate)	Flat Black	Privacy
<b>4140TSC51</b>	4-Way Latch (Removable Latch Plate)	Satin Chrome	Entrance
<b>4140TSC10</b>	4-Way Latch (Removable Latch Plate)	Satin Chrome	Passage
<b>4140TSC42</b>	4-Way Latch (Removable Latch Plate)	Satin Chrome	Privacy
<b>4140TSN51</b>	4-Way Latch (Removable Latch Plate)	Satin Nickel	Entrance
<b>4140TSN10</b>	4-Way Latch (Removable Latch Plate)	Satin Nickel	Passage
<b>4140TSN42</b>	4-Way Latch (Removable Latch Plate)	Satin Nickel	Privacy
<b>4140TAN17</b>	Dummy	Antique Nickel	Dummy
<b>4140TFB17</b>	Dummy	Flat Black	Dummy
<b>4140TSN17</b>	Dummy	Satin Nickel	Dummy

## TECHNICAL SPECIFICATIONS

Style	Straight Levers
Keyed Alike	Compatible
Screw/Nail	Included
Diameter	2 9/16 in
Door Type	Wood
Door Thickness	1 3/8 to 1 3/4 in
Handing Position / Opening Side	Reversible for Left or Right
Usage	Hinge Door
Grade	3
Fire-Rating	Available upon request Fall 2024
Brand	Onward
Screw	Included
Length	4 5/16 in
Projection	2 7/16 in
Material	Steel
Backset	2 3/8 to 2 3/4 in
Standards and Certifications	ANSI A156.2-2003, ADA

## IMPORTANT INFORMATION

Fits standard 2-1/8 in (55 mm) cross bore 161 door prep. 5 year limited warranty on finishes. 25 year mechanical warranty.

## INCLUDED PRODUCT(S)

Mounting hardware included

## APPLICATION

Easy installation Template included

---

PRODUCT PHOTOS

