

Straight Levers - Bridwell Series

Latch



4-Way Latch
(Removable
Latch Plate)

Dummy

Color/Finish



Antique Nickel



Chrome



Flat Black



Satin Nickel

Function

Dummy

Passage

Privacy

DESCRIPTION

Straight Levers - Bridwell Series is a perfect blend of timeless elegance & modern simplicity. The series includes a classic assortment of locksets to keep your house secure in style. Many design variations are possible, all with galvanized all-steel interior mechanisms, so you can find the right accent for your space. These locksets are strong, durable, easy to clean, and versatile. They integrate into a variety of home styles, lending a contemporary vibe and elevating the look of your entire home.

ADVANTAGES AND BENEFITS

- Compatible with both left- and right-hand doors - 5 year limited warranty on finishes - 25 year mechanical warranty - Easy installation with included template - 20,000 cycles (minimum)

AVAILABLE PRODUCTS

Product #	Latch	Color/Finish	Function
4143TAN42	4-Way Latch (Removable Latch Plate)	Antique Nickel	Privacy
4143TC42	4-Way Latch (Removable Latch Plate)	Chrome	Privacy
4143TFB10	4-Way Latch (Removable Latch Plate)	Flat Black	Passage
4143TFB42	4-Way Latch (Removable Latch Plate)	Flat Black	Privacy
4143TSN10	4-Way Latch (Removable Latch Plate)	Satin Nickel	Passage
4143TSN42	4-Way Latch (Removable Latch Plate)	Satin Nickel	Privacy
4143TC17	Dummy	Chrome	Dummy
4143TFB17	Dummy	Flat Black	Dummy
4143TSN17	Dummy	Satin Nickel	Dummy

TECHNICAL SPECIFICATIONS

Style	Straight Levers
Keyed Alike	Compatible
Screw/Nail	Included
Diameter	2 1/2 in
Door Type	Wood
Door Thickness	1 3/8 to 1 3/4 in
Handing Position / Opening Side	Reversible for Left or Right
Usage	Hinge Door
Grade	3
Fire-Rating	Available upon request Fall 2024
Brand	Onward
Screw	Included
Height	2 1/2 in
Width	3 15/16 in
Projection	1 7/8 in
Material	Steel
Backset	2 3/8 to 2 3/4 in
Standards and Certifications	ANSI A156.2-2003, ADA

INCLUDED PRODUCT(S)

Mounting hardware included.

IMPORTANT INFORMATION

Fits standard 2-1/8" (55 mm) cross bore 161 door prep (ANSI 115.2)

APPLICATION

For use on any interior door.

PRODUCT PHOTOS

